



Humongous Labs
Format No. : HL/F/7.8/01

HUMONGOUS LABS (OPC) PVT. LTD.

Govt. Approved Test House

B-67, 2nd Floor, Mayapuri Industrial Area, Phase - I, New Delhi- 110064

Website: www.humongous.in Email: inquiry@humongous.in

Mob: 09650093944, 8745886841 Tele: 011-44781112

TEST REPORT

Report No.: HLG/20251224/0036

Sender/ Party/ Procurement Agency	Reverse Clinics By Threads Physio Orthosport LLP F-10/4 , DLF Phase 1 , Sector 27 Gurugram , Haryana 122001		Report Issue Date	29/12/2025
			Date of Completion	29/12/2025
			Date of Analysis Start	24/12/2025
Reference No. of letter	NS	Letter Date :	Date of Received	24/12/2025
Sample Name	Shilajit Gold			
Manufacture By	M.B Healthcar 360 HSIIDC Indi. Area RAI, Distt.- Sonapat, Haryana.			
Supplied By	Reverse Clinics By Threads Physio Orthosport LLP			
Product Group	Raw/Finish Products	Mfg. Lic. No.	729-ISM(HR)	
Batch No.	AOC-4577	Mfg Date	12/2025	Batch Size NS
Code No.	NS	Exp.Date	11/2028	Sample Qty. 90.0 Caps
Protocol/Ref. Standard	IHS		Sample information provided by customer	

Description : Golden/Golden hard gelatin capsules containing brown colour powder.

S.No.	Test Parameters	Results	Limit
1	Average weight	586.0 mg	-
2	Average fill weight	492.2 mg	-
3	Uniformity of fill weight	Within limit	-
4	Disintegration Time	11 to 12 min	NMT 30 min
5	Loss on drying	5.68% w/w	-
6	Total ash	4.16% w/w	-
7	Acid Insoluble ash	1.08% w/w	-
8	Test for Heavy Metals (by AAS)	-	-
9	Lead (as Pb)	Less than 10 ppm	NMT 10 ppm
10	Arsenic (as As)	Less than 3 ppm	NMT 3 ppm
11	Mercury (as Hg)	Less than 1 ppm	NMT 1 ppm
12	Cadmium (as Cd)	Less than 0.3 ppm	NMT 0.3 ppm
13	MICROBIAL CONTAMINATION	--	--
14	Total bacterial count	50 cfu/g	NMT 100000 cfu/g

20251224/0036-1



Page : 1 of 2

Note:

1. The results listed refer only the tested samples and applicable parameter. Endorsement of products is neither inferred nor implied.
2. Sample (s) not drawn by us. Total liability of our analytical division is limited to the sample supplied and/or invoiced amount.
3. This report is not reproduced wholly or in part and cannot be use as an evidence in the court of law and should not be used in any advertising media without special permission in writing.
4. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
5. Sample has been tested as per latest/valid version of Standard. In case of MU is having an impact on statement of conformity, decision rule will be applied.



Humongous Labs
Format No. : HL/F/7.8/01

HUMONGOUS LABS (OPC) PVT. LTD.

Govt. Approved Test House

B-67, 2nd Floor, Mayapuri Industrial Area, Phase - I, New Delhi- 110064

Website: www.humongous.in Email: inquiry@humongous.in

Mob: 09650093944, 8745886841 Tele: 011-44781112

TEST REPORT

Report No.: HLG/20251224/0036

Sender/ Party/ Procurement Agency	Reverse Clinics By Threads Physio Orthosport LLP F-10/4 , DLF Phase 1 , Sector 27 Gurugram , Haryana 122001			Report Issue Date	29/12/2025
				Date of Completion	29/12/2025
				Date of Analysis Start	24/12/2025
Reference No. of letter	NS	Letter Date :		Date of Received	24/12/2025
Sample Name	Shilajit Gold				
Manufacture By	M.B Healthcar 360 HSIIDC Indi. Area RAI, Distt.- Sonapat, Haryana.				
Supplied By	Reverse Clinics By Threads Physio Orthosport LLP				
Product Group	Raw/Finish Products	Mfg. Lic. No.	729-ISM(HR)		
Batch No.	AOC-4577	Mfg Date	12/2025	Batch Size	NS
Code No.	NS	Exp.Date	11/2028	Sample Qty.	90.0 Caps
Protocol/Ref. Standard					Sample information provided by customer

15	Total fungal count	Less than 10 cfu/g	NMT 1000 cfu/g
16	TEST FOR SPECIFIC PATHOGENS	--	-
17	E.coli	Absent/g	Should be absent/g
18	Salmonella species	Absent/g	Should be absent/g
19	eudomonas aeruginosa	Absent/g	Should be absent/g
20	S.aureus	Absent/g	Should be absent/g

Report : In the opinion of the undersigned the sample referred to above is of STANDARD QUALITY as defined in the Act and the rules made thereunder for the reason given below.

Complies in above respects

Humongous Labs

END OF REPORT

20251224/0036-2



Page : 2 of 2



Rashmi Zalpuri
Person-In-Charge
Authorized Signatory

Note:

1. The results listed refer only the tested samples and applicable parameter. Endorsement of products is neither inferred nor implied.
2. Sample (s) not drawn by us. Total liability of our analytical division is limited to the sample supplied and/or invoiced amount.
3. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising media without special permission in writing.
4. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
5. Sample has been tested as per latest/valid version of Standard. In case of MU is having an impact on statement of conformity, decision rule will be applied.